

Printing date 08/20/2018 Reviewed on 08/20/2018

#### 1 Identification

· Product identifier

· Trade name: illbruck SP050

· Article number: T-I-SP050

· Application of the substance / the mixture

Adhesives Spacings sealent

· Details of the supplier of the safety data sheet

· Manufacturer/Supplier:

tremco illbruck GmbH

Zweigniederlassung Traunreut

Traunring 65, D - 83301 Traunreut

Tel: +49 (0) 8669 34100, Fax: +49 (0) 8669 9784

msds@tremco-illbruck.com

### · Information department:

tremco illbruck Ltd

Coupland Road, Hindley Green, Wigan, WN2 4HT, United Kingdom

T: +44 (0) 1942251400, F: +44 (0) 1942251410

www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com

#### · Emergency telephone number:

During office hours tel.: +44 (0) 1942251400. At all other times please contact your national poisoning centre.

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- · NFPA ratings (scale 0 4)



Health = 0

Fire = 1

Reactivity = 0

· HMIS-ratings (scale 0 - 4)



1 Health = 1

Fire = 1

REACTIVITY 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

- 115



Printing date 08/20/2018 Reviewed on 08/20/2018

Trade name: illbruck SP050

(Contd. of page 1)

## 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Silane-terminated, hydrocarbon-based polymer with inorganic fillers

<ul> <li>Dangerous</li> </ul>	components:
-------------------------------	-------------

CAS: 2768-02-7 trimethoxyvinylsilane Flam. Liq. 3; Acute Tox. 4 1-<5% EINECS: 220-449-8

#### · Additional information:

While curing the following substances are formed and released by a reaction with atmospheric humidity:

Methanol (CAS 67-56-1)

### 4 First-aid measures

- · Description of first aid measures
- · General information: Take affected persons out into the fresh air.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Remove from the skin using a cloth or paper. Then clean with water and soap.

If skin irritation continues, consult a doctor.

- · After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.
- · After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

- Information for doctor: No further relevant information available.
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- **Protective equipment:** Wear self-contained respiratory protective device.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

- Environmental precautions: No special measures required.
- · Methods and material for containment and cleaning up:

Ensure adequate ventilation.

(Contd. on page 3)



Printing date 08/20/2018 Reviewed on 08/20/2018

Trade name: illbruck SP050

(Contd. of page 2)

Pick up mechanically.

Dispose of the collected material according to regulations.

· Reference to other sections

By a reaction with atmospheric humidity by-products are released. See chapter 8.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional Occupational Exposure Limit Values for possible hazards during processing:

While curing the following substances are formed and released by a reaction with atmospheric humidity:

Methanol (CAS 67-56-1)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat, drink, smoke or sniff while working.

· Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter AX

· Protection of hands:

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

(Contd. on page 4)



Printing date 08/20/2018 Reviewed on 08/20/2018

Trade name: illbruck SP050

(Contd. of page 3)

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

Butyl rubber, BR

Nitrile rubber, NBR

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- · Eye protection: Safety glasses
- · Body protection:



Protective work clothing

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Pasty

**Color:** According to product specification

Odor: Alcohol-like
Melting point/Melting range: Undetermined.
Boiling point/Boiling range: Not applicable.

• Flash point: >151 °C (>303.8 °F)

· **Auto igniting:** Product is not selfigniting.

• **Danger of explosion:** Product does not present an explosion hazard.

• **Density at 20 °C (68 °F):** 1.6 g/cm³ (13.35 lbs/gal)

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Solvent content:

VOC content: 0.1 g/l

• Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.

(Contd. on page 5)



Printing date 08/20/2018 Reviewed on 08/20/2018

Trade name: illbruck SP050

(Contd. of page 4)

- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products:

None if stored according to specifications.

Beginning at approx. 150 °C small amounts of formaldehyde are formed by an oxidative decomposition.

## 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
CAS: 2768-02-7 trimethoxyvinylsilane			
Oral	LD50	7,120 mg/kg (rat)	
Dermal	LD50	3,540 mg/kg (rabbit)	
Inhalative	LC50/4 h	16.8 mg/L (rat)	

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: Slight irritation possible.
- · Sensitization: No sensitizing effects known.
- Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· IARC (Internation	al Agency for Research on Cancer)	
CAS: 14808-60-7	Quartz (SiO2)	1
· NTP (National Toxicology Program)		
CAS: 14808-60-7	Quartz (SiO2)	K
· OSHA-Ca (Occupational Safety & Health Administration)		
None of the ingred	lients is listed.	

### 12 Ecological information

- Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Other information: The product is not biodegradable.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

US



Printing date 08/20/2018 Reviewed on 08/20/2018

Trade name: illbruck SP050

(Contd. of page 5)

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Not cured product may not be disposed off together with household waste and may not reach sewing system. To dispose off open product containers and let them stand at open air until the reaction is finished totally (means there is no more smell). After that, waste can be disposed off as the cured product.

Cured product can be deposited together with domestic waste. Observe the specific related regulations of local authorities.

- · Uncleaned packagings:
- · Recommendation:

Empty containers totally (without drops or grains, cleaned with a spatula). Under observation of the relevant local respectively national regulations re-use or recycling is preferred.

### **14 Transport information**

· UN-Number · DOT, ADR, ADN, IMDG, IATA Void	
DOT, ADIT, MIDO, IATA	
<ul><li>UN proper shipping name</li><li>DOT, ADR, ADN, IMDG, IATA</li><li>Void</li></ul>	
· Transport hazard class(es)	
· DOT, ADR, ADN, IMDG, IATA · Class Void	
· Packing group · DOT, ADR, IMDG, IATA Void	
· Environmental hazards: · Marine pollutant:  No	
· Special precautions for user Not applicable	e.
Transport in bulk according to Annex II of     MARPOL73/78 and the IBC Code     Not applicable	e.
· UN "Model Regulation": Void	

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010

OSHA Hazard Communication Standard, 29 CFR 1910.1200 (HCS)

United Nations (UN) Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

· Sara

· Section 355 (extremely hazardous substances):

CAS: 107-15-3 ethylenediamine

(Contd. on page 7)



Printing date 08/20/2018 Reviewed on 08/20/2018

Trade name: illbruck SP050

(Contd. of page 6)

### · Section 313 (Specific toxic chemical listings):

CAS: 67-56-1 methanol

#### · TSCA (Toxic Substances Control Act):

All ingredients are listed.

· Proposition 65

#### · Chemicals known to cause cancer:

CAS: 28553-12-0 di-"isononyl" phthalate

CAS: 14808-60-7 Quartz (SiO2)

### · Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

### · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### · Chemicals known to cause developmental toxicity:

CAS: 67-56-1 methanol

#### · Carcinogenic categories

### · EPA (Environmental Protection Agency)

CAS: 107-15-3 ethylenediamine

D

### · TLV (Threshold Limit Value established by ACGIH)

CAS: 14808-60-7	Quartz (SiO2)	A2
CAS: 107-15-3	ethylenediamine	A4

### · NIOSH-Ca (National Institute for Occupational Safety and Health)

CAS: 14808-60-7 Quartz (SiO2)

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · National regulations:

### · Additional classification according to Decree on Hazardous Materials:

No further relevant information available.

- · Information about limitation of use: No further relevant information available.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Date of preparation / last revision 08/20/2018 / 8
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 8)



Printing date 08/20/2018 Reviewed on 08/20/2018

Trade name: illbruck SP050

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3

Acute Tox. 4: Acute toxicity - Category 4

(Contd. of page 7)

HS